



**BATCH COOKERS  
BATCH HYDROLYZERS**



## ABOUT US

### ANCO KNOWS RENDERING

Founded in 1902, ANCO has continued to innovate and hone our expertise in the manufacturing of quality rendering equipment for over a century.

Today, our product line and production capabilities have doubled in size, and we maintain an inventory of replacement parts to ensure you have little to no downtime.

This is what we do, but why we do it makes all the difference.

Our ultimate goal is to be your long-lasting, collaborative partner. We will work with you to find the best solution for your rendering needs, whether that's implementing a new system, or working with your existing equipment. Our equipment transforms organic waste into something purposeful, so we have a positive impact on our environment.

Our longevity makes us experts, but our customer care makes us the right partner. We look forward to working with you.



## SYSTEMS SOLUTIONS SPARES

PRODUCT IN

**100+**  
COUNTRIES

## 100+ YEARS

For over a century, ANCO has been providing quality, dependable products to fit any need within the rendering industry.

**BINS & TANKS  
SHREDDERS & GRINDERS  
COOKERS & HYDROLYZERS  
DRYERS  
SEPARATORS  
PRESSES  
VAPOR HANDLING  
ODOR CONTROL  
PUMPS & CONVEYORS  
PLC & HMI AUTOMATION**

## SPARE PARTS

ANCO is determined to provide critical spare parts to ensure your plant runs smoothly and without downtime.

## OUR COMMITMENT

Providing exceptional customer service with fast turnaround, deep industry knowledge and long-term partnerships.

**Offering full system control with automation using the latest PLC and HMI color touch screen functionality.**


**PROUDLY MADE IN THE USA**

www.ancoeas.com | 336.855.7800  
1420 Lorraine Ave | High Point, NC 27263





- ASME code-pressure vessel 516-70 materials
- True Roll shell design improves heat transfer efficiency
- Higher pressure ratings 50 PSI internal, 125 PSI jacket
- Heavy duty shaft, bearings, drive
- Special paddle casting material offers 50% longer wear
- High R value solid insulation with SS cover cooks material faster
- ANCO Rendering indicator efficiently manages temperature
- Special steam controls offer most efficient steam usage



**COOKING**  
Processes beef, hog, poultry, offal and blood

**HYDROLYZING**  
Processes hair and feathers

MODEL	GROSS VOLUME		CAPACITY		DIMENSIONS						WEIGHT		POWER RANGE	
					LENGTH		WIDTH		HEIGHT					
	CU FT	LITERS	LBS	KG	FT	M	FT	M	FT	M	LBS	KG	HP	KW
5x10	143	4050	5,400	2,450	15.9	4.8	5	1.5	6.3	1.9	19,700	9,000	25-40	18-30
5x12	180	5100	6,750	3,060	17.9	5.5	5	1.5	6.3	1.9	21,600	9,900	30-50	22-37
5x13-4	204	5780	7,650	3,470	19.2	5.8	5	1.5	6.3	1.9	22,800	10,400	30-50	22-37
5x16	252	7130	9,450	4,290	21.9	6.7	5	1.5	6.3	1.9	25,300	11,500	40-60	30-45
6x16	353	10,000	15,000	6,800	22	6.7	6	1.8	7.5	2.3	28,500	12,950	60-75	45-55

MANUAL & AUTOMATIC LOAD/UNLOAD OPTIONS | LOAD SCALE & VALVE AUTOMATION PACKAGE  
OPTIONS | STEAM HEATED SHAFT OPTIONS ARE AVAILABLE UPON REQUEST

**PROVIDERS OF  
SOLUTIONS,  
SYSTEMS  
& SPARES  
FOR OVER 100 YEARS**



[www.ancoeas.com](http://www.ancoeas.com) | 336.855.7800  
1420 Lorraine Ave. | High Point, NC 27263