





US

ANCO KNOWS RENDERING

Founded in 1902, ANCO has continued to innovate and hone our expertise in the manufacturing of quality rendering equipment for over a century.

Today, our product line and production capabilities have doubled in size, and we maintain an inventory of replacement parts to ensure you have little to no downtime.

This is what we do, but why we do it makes all the difference.

Our ultimate goal is to be your long-lasting, collaborative partner. We will work with you to find the best solution for your rendering needs, whether that's implementing a new system, or working with your existing equipment. Our equipment transforms organic waste into something purposeful, so we have a positive impact on our environment.

Our longevity makes us experts, but our customer care makes us the right partner. We look forward to working with you.





100+ YEARS

For over a century, ANCO has been providing quality, dependable products to fit any need within the rendering industry.

BINS & TANKS
SHREDDERS & GRINDERS
COOKERS & HYDROLYZERS
DRYERS
SEPARATORS
PRESSES
VAPOR HANDLING
ODOR CONTROL
PUMPS & CONVEYORS
PLC & HMI AUTOMATION

SPARE PARTS

ANCO is determined to provide critical spare parts to ensure your plant runs smoothly and without downtime.

OUR COMMITMENT

Providing exceptional customer service with fast turnaround, deep industry knowledge and long-term partnerships.

Offering full system control with automation using the latest PLC and HMI color touch screen functionality.

PROUDLY MADE IN THE USA



PRESSING Processes beef, • ANCO's specialized controls optimize hog, poultry offal, the time/pressure relationship to oil seed efficiently separate the oil from the high quality meal • The automatic choke dynamically adjusts the pressure to remove guesswork Compact design and sturdy single piece frame is CNC machined and line bored for precision fit with heavy duty shaft, bearings, drive

• Ask about our exchange and rebuild
program for wear parts

 Special heattreated flight casting materials offers extended wear

	DISCH	IARGE	DIMENSIONS								SCR	REW/
MODEL	MEAL CAPACITY		LENGTH		WIDTH		HEIGHT		WEIGHT		INFEED POWER	
	PPH	KGPH	FT	М	FT	М	FT	М	LBS	KG	HP	KW
202-2	2,200	1,000	10	3.0	3.5	1.1	6	1.8	12,000	5,500	40/2	30/1.5
202-4	4,400	2,000	11	3.4	6	1.8	6	1.8	15,000	6,800	75/2	55/1.5
202-6	6,600	3,000	12	3.7	4	1.2	6	1.8	17,500	8,950	150	110
202-8	8,800	4,000	12.5	3.8	4	1.2	6	1.8	20,000	9,100	200	150



FOR OVER 100 YEARS



www.ancoeas.com | 336.855.7800 1420 Lorraine Ave. | High Point, NC 27263